

High-Powered Hot Air Hand Tool



www.usarroofwelder.com

 ELITEAIR®



High-Powered Hot Air Hand Tool

The ELITEAIR is a high-powered hot air hand tool for increased membrane adhesion. With accelerated warm up times to get you started almost immediately and a light weight, balanced design, the ELITEAIR will deliver solid performance all day long.

1

Superior air flow for consistent and reliable welds



2

Double insulated handle for in-field safety

5

Simple stainless steel nozzle design for quick in-field change out
*several sizes available



4

Easily removable air filter to ensure consistent air flow



3

Air inlet protection reducing damage from dirt, dust and debris



6

Simple socket element house for quick change out of heat elements in the field.



Company History

All the innovations and firsts we have developed over our 40 years of Hot Air Welding have been because we believe in changing our industry. We have always helped our customers change and grow their businesses by developing practically designed welders that are simple to use and reliable.

We are committed to providing the most innovative and efficient roof welders ever built.



ELITEAIR SPECIFICATIONS

Temperature	Ambient to 1200 F (650 C)
Air Flow	Up to 6.4 CFM (180 L/min)
Wattage	1600 watts @ 120/220 VAC
Voltage	120/220 VAC, 50/60 Hz.
Weight	2.4 lbs (1.1kg)

Contact Us

4220 Alabama Ave S.W.
Navarre, OH 44662
330-915-4154
roofing@weldmaster.com
www.usarroofwelder.com

Follow us on

