

Awnings

Covers

Inflatables

Pools

Tents

+ More



T600
Extreme™

For Large, Heavy PRODUCTION DEMANDS

Built for the toughest production demands, the Miller Weldmaster T600 Extreme® provides the versatility of a multi-function machine for your large products. T600 Extreme accepts fabrics up to 2m (81") wide to pass through the throat without folding.

Hot Air Welding Applications:

- Woven Polypropylene
- Woven Polyethylene
- PVC Laminate
- PVC Coated
- Polyurethane Coated
- Polypropylene
- Acrylic
- More...

Hot Wedge Welding Applications:

- Woven Polypropylene
- Woven Polyethylene
- PVC Laminate
- PVC Coated
- Polyurethane Coated
- Polypropylene
- Acrylic
- More...



Seam Types



Technical Specification

Power Requirements:	208-240 Volts - Single Phase - 25 Amperes 380-400 Volts - Single Phase - 15 Amperes
Power Consumption:	6Kw
Air Requirements:	100 PSI @ 2 CFM
Maximum Temperature:	Hot Air: 750°C - Hot Wedge: 450°C
Throat Width:	2.03m
Dimensions:	Width: 3m Length: 3m Height: 630m
Weight:	Approx. 558KG/1230LB
Seam Width:	0.01 - 0.05m**
Welding Cycle:	Up to 30m/min (100ft/min)*

* Depending on the application, the seam width and the type of material used

**Additional guides might be necessary

FEATURES & BENEFITS

1. Easy operation touch screen with recipe storage for quick setting recall.
2. Equipped for increased product versatility.
3. Inboard and outboard fabric puller for easier fabric handling.
4. Quick, repeatable head adjustments for precise product positioning.
5. Available with hot air, hot wedge or equipped with both for product versatility.
6. Quick easy guide changeable for multiple seam configurations.