

**Awnings**

**Banners**

**Covers**

**Inflatables**

**Marine**

**Tents**

**+ More**



**T300**  
*Extreme*

## Versatile, Ergonomic AND EFFICIENT

Miller Weldmaster T300 Extreme® combines versatility and precisely controlled operating parameters within an ergonomic design and interface for easy operation, speed, accuracy, and productivity.

### Hot Air Welding Applications:

- Woven Polypropylene
- Woven Polyethylene
- PVC Laminate
- PVC Coated
- Polyurethane Coated
- Polypropylene
- Acrylic

### Hot Wedge Welding Applications:

- Woven Polypropylene
- Woven Polyethylene
- PVC Laminate
- PVC Coated
- Polyurethane Coated
- Polypropylene
- Acrylic



## Seam Types



## Technical Specification

<b>Voltage:</b>	25 Amperes Single Phase - 208-240 Volts 15 Amperes Single Phase - 380-400 Volts
<b>Air Requirements:</b>	100 PSI @ 8 CFM
<b>Power Consumption:</b>	Approx. 6Kw
<b>Maximum Temperature:</b>	Hot Air: 750° C Hot Wedge: 450° C
<b>Seam Width:</b>	0.01m - 0.05m (1/2" to 2")**
<b>Welding Cycle:</b>	Approx. 30m/min (100ft/min)*

\*Depending on the application, the seam width and the type of material used

\*\*Additional guides might be necessary

## Features and Benefits

- Synced conveyor system for ease of use.
- Automated conveyor feed for reduction of wrinkles.
- Hot Rotary Welding Technology to significantly increase production.
- Automated spline pay off for less material handling.
- Custom Roller and guides for your versatile product line.
- 25 Recipe settings for easy recal